	Product Information Sheet	Page 1 of 3
& Empirical bioscience	PIS-079 IT-MM-Reactions	Version: 002 Effective Date: 07/06/20 Author: Beth Lowe CO#: 062520-1

Print Only Page 2-5 for Customer



Product Information Sheet

Product Name: 4X InhibiTaq HotStart qPCR MasterMix*

Concentration: InhibiTaq HotStart qPCR MasterMix: 4X **Storage and Handling:** Store at -20°C upon arrival

Ordering Information:

Item Number	Total Number of Tubes and Volumes	Total number of reactions which can be obtained when using the following reaction sizes	
		20µL Reactions	10µL Reactions
IT-MM-200	4X InhibiTaq HotStart qPCR MasterMix: 1x1mL	200	400
IT-MM-600	4X InhibiTaq HotStart qPCR MasterMix: 3x1mL	600	1200
IT-MM-1000	4X InhibiTaq HotStart qPCR MasterMix: 5x1mL	1000	2000
IT-MM-2000	4X InhibiTaq HotStart qPCR MasterMix: 10x1mL	2000	4000
IT-MM-5000	4X InhibiTaq HotStart qPCR MasterMix: 25x1mL	5000	10000
IT-MM-10000	4X InhibiTaq HotStart qPCR MasterMix: 50x1mL	10000	20000

Product Description:

4X InhibiTaq HotStart qPCR MasterMix is a 4X ready-to-use master mix for quantitative real time evaluation of DNA using dye or fluorescent probe-based detection. InhibiTaq HotStart qPCR MasterMix contains a chemically modified Taq DNA polymerase that remains completely inactive at room temperature. The enzyme becomes activated after only 2 minutes at 95°C. Empirical's InhibiTaq HotStart qPCR MasterMix has been optimized for use with hydrolysis-based probes but is also suitable with other probe-based detection systems and dye-based detection.

Protocol: The following reaction setup and general cycling conditions are recommended but can vary depending on the template and primers being used. The following set up is for a 20µl reaction size.

Reaction set-up for 20uL reaction volume Table 1:

Component	Volume	Final Concentration
4X InhibiTaq Plus HotStart qPCR MasterMix	5 μl	1X
Target Specific Primers and Probe	1 μl	1X
Sample	XμI	100 ng to 1 pg
EvaGreen Dye, 20X in Water (if required, purchase separately)	1 μl	1X
ROX reference dye, 25µM (See Table 2, if required, purchase separately)	See Table 2	See Table 2
Nuclease Free Water to volume	Xμl	N.A.
Total	20 μΙ	

PIS-079 Version 002 Page 1 of 2



Product Information Sheet

Product Name: 4X InhibiTaq HotStart qPCR MasterMix*

Table 2: ROX concentration recommendation for different instrument

Type		ROX final	
туре	Company	Instrument Name	concentration
	Roche	LightCycler 480, LightCycler 2.0	
No ROX	BioRad	iCycler, MyiQ, MiQ 2, iQ 5, CFX-96, CFX-384, Chromo4, MJ Opticon, Option2, MiniOpticon	
	Qiagen Roto-Gene Q, Roto-Gene 3000, Roto-Gene 6000		None
	Illumina	ina Eco RealTime PCR System	
	Eppendorf	Mastercycler realplex	
	Cepheid	SmartCyler	
Low ROX	ABI	7500, 7500 Fast	30nM
	Stratagene	MX4000P, MX3000P, MX3005P	
High ROX	ABI	5700, 7000, 7300, 7700, 7900, 7900HT, 7900HT Fast, StepOne, StepOne plus, Viia7	300nM

Thermal cycling conditions:

Table 3: Recommended Cycling Conditions

Cycling Step	Stage	No. of Cycles	Temperature	Holding Time
Enzyme Activation	1	1	95°C	2 minutes
Amplification**	2	40	95°C	10 seconds
Amplification**		40	60°C	60 seconds

^{**}Temperature and Holding Time will be based off primer set used.

Notice to Purchaser:

SYBR® is a registered trademark of Invitrogen, Inc. EvaGreen® is a registered trademark of Biotium, Inc. Empirical Bioscience is licensed by Biotium, Inc. to sell reagents including EvaGreen® dye, for research purposes only. Use of this product is covered by the following US patents and foreign equivalents: US7,803,943 B2, US7,776, 567, B2, including any patent application from which any of the listed patents directly or indirectly matured, any divisional, continuation and continuation-in-part application of any of the foregoing patent applications.

For MSDS and Certificate of Analysis please visit www.empiricalbioscience.com
PIS-079 Version 002
Page 2 of 2